



# GLOBAL LINKS

PRODUCTS OF CANADA LTD

## RESIDENTIAL HINGES

### Plain Bearing

- 01 . . . . . 3½ x 3½  
*Incl. Stainless Steel | 2.3mm Thickness*
- 01 . . . . . 3½ x 3¼  
*Fast-Fit Hinge | 2.3mm Thickness*
- 02 . . . . . 4 x 4  
*Incl. Stainless Steel | 2.5mm Thickness*

### Ball Bearing

- 03 . . . . . 3½ x 3½  
*2.3mm Thickness*
- 03 . . . . . 4 x 4  
*2.5mm Thickness*

### Solid Brass

- 04 . . . . . 3½ x 3½  
*Ball Bearing | 2.3mm Thickness*
- 04 . . . . . 4 x 4  
*Ball Bearing | 2.8mm Thickness*
- 05 . . . . . 3½ x 3½  
*Plain Bearing | 2.3mm Thickness*

### Swing Clear

- 05 . . . . . 4 x 5  
*2.5mm Thickness*

## COMMERCIAL HINGES

### Ball Bearing

- 06 . . . . . 3½ x 3½  
*3.0mm Thickness*
- 06 . . . . . 4 x 4  
*Incl. Stainless Steel | 3.3mm Thickness*
- 07 . . . . . 4½ x 4  
*Incl. Stainless Steel | 3.4mm Thickness*

### Plain Bearing

- 07 . . . . . 4½ x 4  
*3.4mm Thickness*

### Concealed Ball Bearing

- 08 . . . . . 4½ x 4  
*3.4mm Thickness*

## SPRING HINGES

### Imported

- 09 . . . . . 3½ x 3½  
*UL Listed*
- 09 . . . . . 4 x 4  
*UL Listed*
- 10 . . . . . 4½ x 4  
*UL Listed*
- 10 . . . . . Parts  
*Tension Pins and Sets*

## ACCESSORIES

### Adjustable Strike

- 11 . . . . . Single Adj. Strike
- 11 . . . . . Adj. Strike
- 11 . . . . . Double Adj. Strike  
*Inswing/Outswing*

### Door Latch

- 12 . . . . . 1" Magnet Set  
*2 Magnets & 2 Cups*
- 12 . . . . . Ball Latch  
*Drive-In and Face Plate*

### Flush Bolts

- 13 . . . . . 6 Inch
- 13 . . . . . 12 Inch  
*UL Listed*

### Other

- 14 . . . . . Bi-Fold Hardware  
*2-Panel Set | Hinge*
- 14 . . . . . Door Viewer  
*180 Degrees | Glass Lens*
- 14 . . . . . Strike Plates  
*Big and Small*

## INFORMATION

### Ordering

- 00 . . . . . How-To
- 15 . . . . . Terms & Conditions

# ORDERING

## HOW-TO

Call: (604) 777-0811

Fax: (604) 777-0822

Toll Free: 1 (800) 662-1590

Email: [sales@global-links-canada.com](mailto:sales@global-links-canada.com)

Email: [sales@globallinks.ca](mailto:sales@globallinks.ca)

*\*Terms & Conditions on last page of catalog*

## UNIT OF MEASUREMENT

All dimensions, sizes, measurements, and radii in this catalog are describe using imperial units

## LABELLING

Global Links product code for hinges can be broken down into 5 specific divisions:

### EXAMPLE

**B 350 R58 C4 A**

1. *Type* **B** Residential Ball Bearing
2. *Size* **350** 3½ x 3½
3. *Radius* **R58** 5/8 Radius
4. *Finish* **C4** Brass
5. *Packaging* **A** Assembled

#### 1. Type - **B** 350 R58 C4 A

Plain Bearing | *No Designation Required*

- B** Residential Ball Bearing
- BB** Commercial Ball Bearing
- S** Solid Brass
- SPR** Spring Hinge

#### 2. Size - **B 350** R58 C4 A

- 350** 3½ x 3½
- 351** 3½ x 3<sup>11</sup>/<sub>16</sub>
- 440** 4 x 4
- 454** 4½ x 4
- 450** 4½ x 4½
- 405** 4 x 5 Swing Clear

#### 3. Radius - **B 350 R58** C4 A

- R00** Square Corner
- R14** 1/4 Radius
- R58** 5/8 Radius
- R50** 5/8 x Square

#### 4. Finish - **B 350 R58 C4** A



- C10B** Oil Rubbed Bronze
- C12** Tuscan Copper
- C15** Satin Nickel/Nickel Plated
- C17A** Antique Nickel
- C26** Polished Chrome
- C26D** Satin Chrome
- C2G** Zinc Plated
- C32D** Brushed Stainless Steel
- C3** Polished Brass
- C4** Bright Brass
- C5** Antique Brass
- CP** Primed White
- L1** Primed/Matte Black

#### 5. Packaging - **B 350 R58 C4 A**

- A** Assembled
- U** Un-Assembled
- P** Packaged
- N** Non-Removable Pin

## 3 1/2 x 3 1/2 Plain Bearing

- Full mortise hinge made of 2.2mm steel material
- Widely used on 1-3/8" hollow or solid core wood doors




Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
350R14 A	1/4	Assembled *	100 each	•	•	•	•	•	•	•	•	•	•	•	•	•
350R14 U	1/4	Unassembled	100 each	•	•	•	•	•	•	•	•	•	•	•	•	•
350R58 A	5/8	Assembled *	100 each	•	•	•	•	•	•	•	•	•	•	•	•	•
350R58 U	5/8	Unassembled	100 each	•	•	•	•	•	•	•	•	•	•	•	•	•
350R00 A	SQ	Assembled *	100 each	•	•	•	•	•	•	•	*	•	•	•	•	•

\* Retail Packaging Available

\* Stainless Steel

## 3 1/2 x 3 11/16 Plain Bearing

- Full mortise hinge made of 2.2mm steel material
- Widely used on 1-3/8" hollow or solid core wood doors
- Referred to as **Fast Fit** hinge



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
351R50 A	5/8 x SQ	Assembled	100 each			•			•	•			•			•
351R50 P3	5/8 x SQ	Packaged   3PK	100 each			•			•	•			•			•

For any special requests please contact us.

Phone (604) 777-0811 | Fax (604) 777-0822 | Toll Free 1 (800) 662-1590


Email sales@global-links-canada.com | Website GlobalLinks.ca



# RESIDENTIAL HINGES

## 4 × 4 Plain Bearing

- Full mortise hinge made of 2.5mm steel material
- Widely used on 1-3/4" steel insulated doors



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
440R14 A	1/4	Assembled *	100 each	•	•	•	•	•	•	•	*	•	•	•		•
440R14 U	1/4	Unassembled	100 each	•	•	•	•	•	•	•		•	•	•		•
440R14 NRP	1/4	Assembled	100 each	•	•	•	•	•	•	•	*	•	•	•		•
440R58 A	5/8	Assembled *	100 each	•	•	•	•	•	•	•	*	•	•	•	•	•
440R58 U	5/8	Unassembled	100 each	•	•	•	•	•	•	•		•	•	•		•
440R58 NRP	5/8	Assembled	100 each	•	•	•	•	•	•	•	*	•	•	•	•	•
440R50 A	5/8 x SQ	Assembled	100 each	•	•	•	•	•	•	•		•	•	•		•
440R50 U	5/8 x SQ	Unassembled	100 each	•	•	•	•	•	•	•		•	•	•		•
440R50 NRP	5/8 x SQ	Assembled	100 each	•	•	•	•	•	•	•		•	•	•	•	•
440R00 A	SQ	Assembled	100 each	•	•	•	•	•	•	•		•	•	•		•


\* Retail Packaging Available

\* Stainless Steel

02

## 3 1/2 x 3 1/2 Residential Ball Bearing


- Full mortise hinge made of 2.2mm steel material
- Widely used on 1-3/8" hollow or solid core wood doors



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
B350R14	1/4	Assembled	100 each	•		•		•	•							•
B350R58	5/8	Assembled	100 each	•		•		•	•							•

## 4 x 4 Residential Ball Bearing

- Full mortise hinge made of 2.5mm steel material
- Widely used on 1-3/8" steel insulated doors



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
B440R14	1/4	Assembled	100 each	•		•		•	•				•			•
B440R14 NRP	1/4	Assembled	100 each			•		•	•				•			•
B440R58	5/8	Assembled	100 each	•		•		•	•				•			•
B440R58 NRP	5/8	Assembled	100 each	•		•		•	•				•			•
B440R50	5/8 x SQ	Assembled	100 each			•		•	•							
B440R50 NRP	5/8 x SQ	Assembled	100 each			•		•	•							

For any special requests please contact us.

Phone (604) 777-0811 | Fax (604) 777-0822 | Toll Free 1 (800) 662-1590


Email sales@global-links-canada.com | Website GlobalLinks.ca



# RESIDENTIAL HINGES

## 3 1/2 x 3 1/2 Solid Brass Ball Bearing

- Full mortise hinge made of 2.3 mm solid brass material
- Widely used on 1-3/8" hollow or solid core wood doors
- Twist off button tips for easy upgrading to ball or steeple tips
- Stainless steel pin




Product Code	Radius	Packaging	Per Case
SBB350R14C3	1/4	Assembled	100 each
SBB350R58C3	5/8	Assembled	100 each

C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
								•				
								•				

04

## 4 x 4 Solid Brass Ball Bearing

- Full mortise hinge made of 2.8 mm solid brass material
- Widely used on 1-3/4" hollow, solid core or steel insulated doors
- Twist off button tips for easy upgrading to ball or steeple tips
- Stainless steel pin




Product Code	Radius	Packaging	Per Case
SBB440R14C3	1/4	Assembled	100 each
SBB440R14C3NRP	1/4	Assembled	100 each
SBB440R58C3	5/8	Assembled	100 each
SBB440R58C3NRP	5/8	Assembled	100 each

C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
								•				
								•				
								•				
								•				


## 3 1/2 x 3 1/2 Solid Brass Plain Bearing

- Full mortise hinge made of 2.3 mm solid brass material
- Widely used on 1-3/8" hollow or solid core wood doors



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
S350R14C3	1/4	Assembled	100 each									•				
S350R58C3	5/8	Assembled	100 each									•				

## 4 x 5 Swing Clear




Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
405R14SCN	1/4	Assembled	100 each	•		•		•	•				•			•
405R58SCN	5/8	Assembled	100 each	•		•		•	•				•			•



# COMMERCIAL HINGES

## 3 1/2 x 3 1/2 Commercial Ball Bearing

- Full mortise hinge made of 3.0 mm steel material
- Widely used on 1-3/8" solid core wood doors



P/C: BB350R58C5



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
BB350R14	1/4	Packaged   2PK	50 each	•		•	•	•	•			•		•		•
BB350R58	5/8	Packaged   2PK	50 each	•	•	•	•	•	•			•		•		•
BB350R00	SQ	Packaged   2PK	50 each	•			•	•	•							•

06

## 4 x 4 Commercial Ball Bearing

- Full mortise hinge made of 3.3 mm steel material
- Widely used on 1-3/4" solid core wood or steel insulated doors



P/C: BB440R14C32DN




Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
BB440R14	1/4	Packaged   3PK	48 each	•	•	•	•	•	•		*	•		•		•
BB440R14 NRP	1/4	Packaged   3PK	48 each	•		•	•	•	•		*	•		•		•
BB440R58	5/8	Packaged   3PK	48 each	•		•	•	•	•		*	•		•		•
BB440R58 NRP	5/8	Packaged   3PK	48 each	•		•	•	•	•		*	•		•		•
BB440R50 NRP	5/8 x SQ	Bulk	48 each						•							
BB440R00	SQ	Packaged   3PK	48 each	•		•		•	•							•
BB440R00 NRP	SQ	Packaged   3PK	48 each	•		•		•	•							•

\* Stainless Steel



## 4 1/2 x 4 Commercial Ball Bearing

- Full mortise template hinge made of 3.4 mm steel material
- Widely used on average and low frequency hollow, solid core wood or steel doors
- Standard weight
- Meets "ANSI" standards




Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
BB454R58	5/8	Packaged   3PK	48 each						•							
BB454R58 NRP	5/8	Packaged   3PK	48 each						•							
BB454R00	SQ	Packaged   3PK	48 each	•		•		•	•				•			•
BB454R00 NRP	SQ	Packaged   3PK	48 each	•		•		•	•		*		•			•

\* Stainless Steel

## 4 1/2 x 4 Commercial Plain Bearing

- Full mortise template hinge made of 3.4 mm steel material
- Widely used on average and low frequency hollow, solid core wood or steel doors
- Standard weight
- Meets "ANSI" standards



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
454R00	SQ	Packaged   3PK	48 each						•							
454R00 NRP	SQ	Packaged   3PK	48 each						•							

07

For any special requests please contact us.


Phone (604) 777-0811 | Fax (604) 777-0822 | Toll Free 1 (800) 662-1590

Email sales@global-links-canada.com | Website GlobalLinks.ca

# COMMERCIAL HINGES

## 4 1/2 x 4

### Concealed Ball Bearing



- Full mortise template hinge made of 3.4 mm steel material
- Widely used on average and low frequency hollow, solid core wood or steel doors
- 3 knuckle hinge for a more streamlined look
- Standard weight
- Meets "ANSI" standards



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
CB454R00	SQ	Packaged   3PK	48 each	•		•		•	•							
CB454R00 NRP	SQ	Packaged   3PK	48 each	•		•		•	•							


08



## 3 1/2 x 3 1/2

Imported | UL Listed

- Full mortise spring hinge
- Widely used on wood or steel doors in residential, apartment, hotel, motel, office, and public buildings



**C10B**  
Oil Rubbed Bronze

P/C: SPR350R58C10B



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
SPR350R14	1/4	Packaged   1PK	50 each	•		•			•				•			•
SPR350R58	5/8	Packaged   1PK	50 each	•		•			•				•			•

## 4 x 4

Imported | UL Listed

- Full mortise spring hinge
- Widely used on wood or steel doors in residential, apartment, hotel, motel, office, and public buildings



**L1**  
Primed Black

P/C: SPR440R14L1




Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
SPR440R14	1/4	Packaged   1PK	50 each	•		•	•	•	•			•	•	•		•
SPR440R58	5/8	Packaged   1PK	50 each	•		•	•	•	•			•	•	•		•
SPR440R50 L/R	5/8 x SQ	Bulk	50 each	•		•	•	•	•			•	•	•		•

# COMMERCIAL HINGES

## 4½ × 4

Imported | UL Listed

- Full mortise spring hinge
- Widely used on wood or steel doors in residential, apartment, hotel, motel, office, and public buildings
- Standard weight



Product Code	Radius	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
SPR454R00	SQ	Packaged   1PK	50 each	•				•	•				•			

10

## Parts

For Spring Hinges


- Tension Pins
- Tension Sets
- Spare parts to be used on our Imported Spring Hinges

Product Code	Description
SPRTENPIN	Tension Pin (1/8") - 1,000 per Bag
SPTension Set	Tension Set - 2 Tension Pins, Allan Key, Tension Bar Set

# Adjustable Strikes

## Single Adjustable Strike Plate


- Available in C26D finish
- 100 per Case



P/C: AS110

## Adjustable Strike Plate


- For 3/4" jamb
- Supplied with standard and extended clip
- Available in C26D and C4 finishes
- 100 per Case, 10 per Box



P/C: ASP

## Double Adjustable Strike Plate (Inswing/Outswing)

- 5½" center to center Double Adjustable Striker Plate
- Available in C10B, C15, C26D, and L1 finishes
- 40 per Case



P/C: ASD | Inswing

P/C: ASDO | Outswing

For any special requests please contact us.

Phone (604) 777-0811 | Fax (604) 777-0822 | Toll Free 1 (800) 662-1590


Email sales@global-links-canada.com | Website GlobalLinks.ca



## Door Latch

### 1 Inch Magnet Set

- 1 inch magnet catch set (2 rare earth magnets and 2 cups)
- Maximum direct-pull strength is 80 pounds



P/C: DA1MAG

Product Code	Packaging	Per Box	Per Case
DA1MAG	Sets   2/Set	25 sets	100 sets

## 12 Door Latch

### Drive-In/Face Plate Ball Latch



P/C: BC C10B

- Steel roller
- Full strike plate



P/C: BLC C4

- 1 x 2-1/4 Face Pate
- Steel roller
- Full strike plate

Product Code	Packaging	Per Box	Per Case
BC	Bulk	25 each	100 each
BLC	Bulk	25 each	100 each

C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
•		•	•	•	•				•			•
•		•	•		•				•			


# Flush Bolt

6 Inch

- Superior quality, smooth working
- Deep cup finger hole and double action spring for ease of operation
- Automatic holding of bolt in either projected or retracted position



P/C: 6FBC3



Product Code	Packaging	Per Box	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
6FB	Packaged   1PK	25 each	100 each	•	•	•	•	•	•	•	•	•	•	•		•

# Flush Bolt

12 Inch | UL Listed



P/C: 12FBC26D

- Used as top or bottom flush bolt
- For inactive leaf of a pair of swinging fire doors



Product Code	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
12FB	Packaged   2PK	80 each						•							

## Bi-Fold Hardware



P/C: BFH2P

- Use on 2-panel bifold door
- Polybag hardware set with instructions



P/C: BFC2G

- Bi-Fold Hinge
- Size: 1-5/8 x 2-1/2

Product Code	Packaging	Per Case
BFH2P	Bags   1 Set	50 each
BFC2G	Bulk	250 each

## Door Viewer

14

- 180 degree angle of vision
- Glass lens



P/C: DV180C4



P/C: DV180C26

Product Code	Packaging	Per Box	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
DV180	Packed   1 ea	50 each	200 each	•		•	•		•				•	•		

## Strike Plates

- Small and Big plates
- Small Plates (BCSP): 1-3/8 x 2-1/4
- Big Plates (DSP): 1-3/4 x 2-1/4



P/C: BCSP15

P/C: BCSP26

P/C: BCSP15

Product Code	Packaging	Per Case	C10B	C12	C15	C17A	C26	C26D	C2G	C32D	C3	C4	C5	CP	L1
BCSP	Bags   100 each	500 each	•		•	•		•				•	•		
DSP	Bags   100 each	500 each													



## ACCEPTANCE OF ORDER

We reserve the right to decline an order, in whole or in part.

## FREIGHT

All orders are F.O.B. our warehouses. Call for prepaid policy in your area.

## PRICES

Prices are subject to change without notice. All errors and omissions are subject to correction.

## CREDIT APPROVAL / INCREASE

Acceptance of all orders is subject to approval by Global Links. Trade references and banking information must accompany orders from new accounts. An increase in credit may be denied if payments haven't previously been made within terms.

## PAST DUE ACCOUNTS

Invoices not paid within our terms will be subject to a service charge of 2% per month. A 24% per annum service charge will be added and compounded each month, thereafter until said amount is collected. Past due payments are not eligible for discount. All goods remain the property of Global Links until invoice paid.

## RETURN OF MERCHANDISE

No merchandise may be returned to Global Links without a designated RGA number. All returns must be shipped prepaid within 30 days and are subject to a minimum 20% restocking charge. The merchandise must be in saleable condition or no credit will be issued.

15

## FREIGHT AND SHORTAGE CLAIMS

Goods in transit are at purchaser's risk. Claims for damaged goods or shortages must be reported to the delivery carrier within 5 business days. Shortage claims must be made to Global Links within 5 working days from receipt of shipment and are subject to verification.

## PRODUCT WARRANTY

Our products are guaranteed to be free of defects in both workmanship and materials for a period of one year. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized products or parts. Any modification of product after leaving our warehouse will void the warranty. Liability shall be limited to the replacement of product. Cost of replacement shall not exceed original purchase price.

Written notice of damages must occur within the warranty period. The defective goods must be returned to our warehouse in Delta, BC, unless specified otherwise.

## FINISHES AS SHOWN IN CATALOG

Actual finish colors may vary from colors shown in this catalog. Reflective/Mirror finishes such as C12, C3, C3-4, and C26 will appear different in person. Finishes can be verified by ordering a sample.

*For any special requests please contact us.*

**Phone** (604) 777-0811 | **Fax** (604) 777-0822 | **Toll Free** 1 (800) 662-1590

**Email** sales@global-links-canada.com | **Website** GlobalLinks.ca

# THANK YOU!

We would not be here without you! The support from all our customers throughout the years has been beyond amazing and we'd like to thank you for supporting us! Here's to another 20 years going forward!